



NAME: PANAMIC-ICT L.L.C (PRISHTINA/KOSOVO)
ADDRESS: MATI I, RRUGA BEDRI BERISHA, ALKOGROUP
C2, NR.1, PRISHTINË, 10000

KOSOVO CONTACT : +383 (49) 242 911
: +383 (45) 379 380
WEBSITE : WWW.PANAMIC-ICT.COM
WEBSITE : SALES@PANAMIC-ICT.COM
INFO : INFO@PANAMIC-ICT.COM

COMPANY PROFILE

FOUNDED IN JUNE 2017 WITH HQ IN PRISHTINA - KOSOVO, IN ORDER TO HELP COMPANIES WITH THEIR IT SOLUTIONS. OUR INITIAL FOCUS WAS PROVIDING COMPLETE INFORMATION TECHNOLOGY SOLUTIONS FOR COMPANIES.

TODAY, FROM OUR BASE IN PRISHTINA, WE DELIVER THE MOST COMPREHENSIVE SUITE OF MANAGED IT SERVICES TO SMALL AND MEDIUM-SIZED BUSINESSES AND WE ARE MEMBERS OF SEVERAL KEY PAYMENT, BANKING, AND COMMERCE ASSOCIATIONS ACROSS KOSOVO.

PANAMIC ICT HAS 2 SECTORS:

- CASH MANAGEMENT
- IT EQUIPMENT SALES AND MAINTENANCE

PANAMIC ICT IS AUTHORIZED COMPANY FOR SUPPLYING, SERVICE/MAINTENANCE OF IT EQUIPMENT'S, FROM BRAND NAMES:

- HP,
- LENOVO,
- IBM,
- DELL POWEREDGE SERVERS,
- CISCO,
- JUNIPER,
- FORTINET ETC.

SUPPLYING/MAINTENANCE WITH SOLUTIONS FOR MANAGING AND AUTOMATION OF CASH PROCESSING FROM TOP BRAND NAMES:

- GLORY,
- LIDIX,
- BELLCON,
- CT COIN,
- SOUTH AUTOMATION,
- DORS,
- SBM,
- SEMTOM.

HQ AND WAREHOUSES ARE BASED IN PRISHTINA - CAPITAL CITY OF KOSOVO

6X OFFICES AND 2X WAREHOUSES

IN OUR OFFICES ARE:

- CEO,
- ADMINISTRATION OFFICE,
- SALES,
- SERVICE/MAINTENANCE,
- 8X VEHICLES

PANAMIC ICT STAFF:

- 2X ADMINISTRATIVE OFFICERS,
- 2X FINANCIAL OFFICERS,
- 6X TECHNICIANS,
- 2X SYSTEM/NETWORK ENGINEER,
- 2X SALES AGENTS,
- 1X TECHNICAL COORDINATOR,
- 1X CEO,

BANKNOTE COUNTER

GLORY



GLORY UW-F4



GLORY UW-F8



GLORY UW-F16

- A CHOICE OF UP TO 4 CONFIGURATIONS
- A MODERN DESIGN PLATFORM ABLE TO MEET THE DEMANDS OF TODAY AND FUTURE CASH PROCESSING DEMANDS
- WITH UP TO 16 NOTE STACKERS AVAILABLE
- ALLOWS MORE PROCESSING CONFIGURATIONS IN A SINGLE PASS
- REDUCES PROCESSING COST-PER-NOTE
- ADDITIONAL STACKER MODULES CAN BE ADDED AS A FIELD UPGRADE, WITH A MAXIMUM OF 3 ADDITIONAL MODULES (16 POCKETS TOTAL)

SPEED	: 1000 NOTES/MIN
CONNECTIVITY	: LAN
DISPLAY	: 10" COLOURTOUCHSCREEN
HOPPER	: 2000 PIECES
ADDITIONAL DETECTOR SPACE	: YES
REJECT POCKE	: 1 X 300
SERIAL NUMBER PC	: INTERNAL
REMOTE UPGRADE CAPABILITY	: YES
HEADER CARDS	: YES

BANKNOTE COUNTER

GLORY



GLORY GFS-220

OPTIONAL MODELS

- AUTO MIXED CURRENCY COUNTING¹
- TICKET (CASINO BARCODE) COUNTING^{1,2}
- CHEQUE COUNTING^{1,2}
- SERIAL NUMBER (SCAN/OCR)¹
- DUAL USER INTERFACE¹
- SHUTTER FOR THE MAIN STACKER POCKET¹
- INTEGRAL PRINTER¹

DETECTORS

- DUAL CIS
- IR
- UV (ULTRAVIOLET/FL (FLUORESCENCE))
- MAGNETICS
- FULL WIDTH TAPE DETECTION¹

CURRENCY PATTERN

- BASIC UP TO 3 CURRENCIES
- PROGRAMMABLE UP TO 40 CURRENCIES MAX.³

SPEED NOTES PER MINUTE

- PIECE COUNTING: 1,300 NPM
- VALUE COUNTING: 1,200 NPM
- FITNESS: 1,000 NPM
- OCR: 1,000 NPM

POCKETS CAPACITY: 1STACKER + 1
REJECT HOPPER CAPACITY : 500 NOTES
(EXTENSION¹ 1000 NOTES)
STACKER CAPACITY : 200 NOTES
REJECT CAPACITY : 100 NOTES

BANKNOTE COUNTER

FEATURES

- ACCURATE AND RELIABLE ONE AND A HALF POCKET MULTICURRENCY BANKNOTE COUNTER WITH SORTING FUNCTIONS.
- CURRENCY AUTO-SWITCH. JUST PUT THE NOTES IN THE HOPPER, S515 WILL AUTOMATICALLY SELECT THE RIGHT CURRENCY AND START COUNTING.
- HANDLES UP TO 30 DIFFERENT CURRENCIES. ENABLE THE CURRENCY COMBINATION OF YOUR CHOICE.
- VALUE COUNTING FUNCTION FOR SORTED OR MIXED DENOMINATION BANKNOTES (4 ORIENTATIONS).
- EFFICIENT AND TOLERANT NOTE FEEDING. VERY PLEASANT NOISE LEVEL.
- BANKNOTE SERIAL NUMBER READING SYSTEM (OCR BASED) INCLUDING BLACK LIST FUNCTION.
- APPRECIATED BELLCON DESIGN WITH CLEAR AND BRIGHT 3,5" GRAPHIC COLOUR DISPLAY WITH FINGER TOUCH FUNCTION.
- LOGICAL AND CLEAR MENU-BASED OPERATION.
- INCLUDES AN ISSUE SORTING MODE, WHICH MAKES IT POSSIBLE TO SORT OUT OLD ISSUE BANKNOTES.
- SUSPECT BANKNOTES ARE SORTED OUT TO THE REJECT POCKET AND WILL NOT BE COUNTED.
- SOFTWARE CAN BE UPDATED VIA STANDARD SD MEMORY CARD OR VIA PC AND USB CABLE.
- REPORT FUNCTION FOR DETAILED COUNTING RESULT AND DETAILS ABOUT REJECTED NOTES.
- BATCH VALUE INPUT BY FAST PRESET KEY OR BY NUMERICAL TOUCH KEYBOARD.
- EXTERNAL DISPLAY AND PRINTER CAN BE CONNECTED (OPTIONAL).



BELLCOUNT S515

DETECTION:

DUAL FULL-WIDTH IR AND VISIBLE LIGHT TRANSMISSIVE AND REFLECTIVE OPTICAL INSPECTION WITH IMAGE PROCESSING. MAGNETISM SENSOR (THREAD, VALUE CODE, AND PRINT). THICKNESS AND WIDTH/HEIGHT SENSORS (3D). UV SENSOR

- + **PIECE COUNTING SPEED:** 800/1000/1200 NOTES PER MINUTE (SELECTABLE)
- + **VALUE COUNTING SPEED:** 800/1000 NOTES PER MINUTE (SELECTABLE)
- + **SERIAL NUMBER READING:** 800 NOTES PER MINUTE
- + **HOPPER CAPACITY:** 500 NOTES
- + **STACKER CAPACITY:** 200 NOTES (USED)
- + **REJECT POCKET CAPACITY:** UP TO 50 NOTES

BANKNOTE COUNTER



BELLCOUNT V2510

FEATURES

- ACCURATE, RELIABLE ONE-POCKET MULTICURRENCY BANKNOTE COUNTER.
- VALUE COUNTING FUNCTION FOR SORTED OR MIXED DENOMINATION BANKNOTES. HANDLES MORE THAN 20 DIFFERENT CURRENCIES.
- DUAL-CIS SENSOR TECHNOLOGY.
- AUTOMATIC RECOGNITION OF CURRENCIES.
- ERGONOMIC DESIGN WITH LARGE, CLEAR AND BRIGHT COLOR DISPLAY WITH FULL FINGER TOUCH OPERATION.
- ADD FUNCTION, BATCH COUNTING AND SORTING FUNCTION AS STANDARD.
- BATCH VALUE INPUT BY FAST PRESET KEY OR BY NUMERICAL TOUCH KEYBOARD.
- COUNTS UP TO THREE MIXED CURRENCIES IN ONE OPERATION. DETAILED COUNTING REPORT.
- REJECTS SUSPECT BANKNOTES. THE MACHINE STOPS AUTOMATICALLY AND THE SUSPECT BANKNOTE WILL NOT BE COUNTED.
- DETECTION-FREE COUNT MODE FOR HANDLING OTHER CURRENCIES, COUPONS, VOUCHERS, ETC.
- COMES IN TWO VERSIONS; V2510 AND V2510M (EXTENDED MAGNETISM SENSORS FOR FLAWLESS USD DETECTION).
- FULL ACCESS TO THE BANKNOTE PATH AND SENSORS BY ONE HAND-OPERATED TOP PART OPENING.
- EASY UPDATEABLE BY SD CARD, USB MEMORY STICK OR BY COMPUTER.
- DATA INTERFACE FOR EXTERNAL DISPLAY AND PRINTER (OPTIONAL).

DETECTION:

DUAL FULL-WIDTH IR AND VISIBLE LIGHT TRANSMISSIVE AND REFLECTIVE OPTICAL INSPECTION WITH IMAGE PROCESSING (DUAL-CIS). MAGNETISM SENSOR (THREAD, VALUE CODE, AND PRINT). THICKNESS AND WIDTH/HEIGHT SENSORS (3D). UV REFLECTIVE SENSOR (FLUORESCENCE)

DETECTION/COUNTING SPEED: 1.000 - 1.200 / 1.000 - 1.500 NOTES PER MINUTE
HOPPER CAPACITY: 500 NOTES
STACKER CAPACITY: 200 NOTES
DISPLAY : 3,5" GRAPHIC COLOR TFT DISPLAY WITH FULL FINGER TOUCH FUNCTION

BANKNOTE COUNTER

LIDIX



LIDIX SL-250F

FEATURES

- THE FASTEST COUNTING SPEED UP TO 1,500PCS./MIN
- DUAL SIDE SERIAL NUMBER RECOGNITION
- TITO SCAN & SORTING
- BOTH NUMERIC & ARABIC S/N RECOGNITION(OCR)
- AUTOMATIC REJECT TRAY
- ERGONOMIC DISPLAY(DETACHABLE & ADJUSTABLE ANGLE)
- THE GLOBAL PATENT PENDING

OPERATING MODE

- PIECE COUNTING
- VALUE COUNTING
- DENOMINATION SORTING
- FACE & ORIENTATION SORTING
- FITNESS SORTING
- TITO SCAN

SPEED :

- VALUE COUNTING : 1500 NOTES/MIN
- FITNESS SORTING : 1200 NOTES/MIN
- DUAL SERIAL NUMBER RECOG. : 1200 NOTES/MIN

SPECIFICATION :


- COUNTERFEIT DETECTION: UV, MG, MT, MR, IR, FL, DUAL CIS
- 5" FULL COLOR LCD TOUCH SCREEN
- PARALLEL OPERATION(DUAL USER)
- 3 SECOND BOOTING SYSTEM

OPTIONS :

- 500 NOTES FOR HOPPER
- 200 NOTES FOR STACKER 1 & STACKER 2
- 50~100 NOTES FOR REJECT

BANKNOTE COUNTER

LIDIX



LIDIX ML-2V

FEATURES

- SUPERIOR PERFORMANCE
- QUICK BOOTING SYSTEM
- 6 DIFFERENT IMAGE ACQUISITION
- THE FASTEST SPEED (1500 NOTES/MIN)
- DUAL SIDE SERIAL NUMBER RECOGNITION
- 5" FULL COLOR TOUCH DISPLAY
- EASY SOFTWARE UPGRADE
- USER-FRIENDLY INTERFACE
- MULTI CURRENCY PROCESSING
- PARALLEL OPERATION

OPERATING MODE

- COUNTING
- VALUE COUNTING
- DENOMINATION SORTING
- FACE & ORIENTATION SORTING

SPEED :

- VALUE COUNTING : 1200 NOTES/MIN
- FITNESS SORTING : NONE
- DUAL SERIAL NUMBER RECOG. : 1200 NOTES/MIN

SPECIFICATION :

- COUNTERFEIT DETECTION: UV, MG, MT, MR, IR, FL, DUAL CIS
- 5" FULL COLOR LCD TOUCH SCREEN
- PARALLEL OPERATION

OPTIONS :

- DUAL SERIAL NUMBER PRINTING & MANAGEMENT
- AUTO CURRENCY FUNCTION
- EXTERNAL LCD DISPLAY

BANKNOTE DETECTOR

FEATURES

- SEMI-AUTOMATIC, ACCURATE EURO BANKNOTE DETECTOR WITH VALUE COUNTING.
- ATTRACTIVE PRICE LEVEL.
- FAST, SIMPLE, RELIABLE, AND QUIET OPERATION WRAPPED IN BEAUTIFUL SCANDINAVIAN DESIGN.
- EASY TO UPDATE SOFTWARE BY MICROSD MEMORY CARD OR USB CONNECTION.
- ALL OPERATION BY ONE SINGLE BUTTON, INCLUDING POWER ON/OFF.
- HANDLES BANKNOTES IN ALL FOUR LENGTH ORIENTATIONS.
- SHOWS THE TOTAL SUM AND NUMBER OF ACCEPTED BANKNOTES COUNTED.
- ACOUSTIC AND FLASHING-LIGHT SIGNAL INDICATION WHEN SUSPECT BANKNOTES ARE DETECTED.
- CURRENCY AUTO SWITCHING WHEN LOCAL CURRENCY IS CO-INSTALLED (OPTIONAL).
- PORTABLE OPERATION WITH BUILT-IN RECHARGEABLE BATTERY (OPTIONAL).



BELLCOUNT EVISION 5

DETECTION:

INFRA-RED, COLOUR, MAGNETIC PRINT, AND MAGNETIC THREAD SENSORS COMBINED WITH LENGTH AND THICKNESS MEASUREMENT

DETECTION/COUNTING SPEED:

> 2 NOTES PER SECOND (NOTE PROCESSING TIME 0,5 S)

BANKNOTE DETECTOR



DP2268

FEATURES

- CHECK THE BANKNOTES WITH UV(ULTRAVIOLET), MG(MAGNETIC), IR (INFRARED), PAPER QUALITY, SIZE DETECTION
- SHOW PIECES OF BANKNOTES AND TOTAL VALUE OF EACH CURRENCY TYPE
- RECHARGEABLE LITHIUM BATTERY INSIDE FOR PORTABLE USAGE (OPTIONAL)
- SOFTWARE CAN BE UPDATED THROUGH USB PORT
- SUITABLE FOR MOST CURRENCIES IN THE WORLD

DETECTION/COUNTING SPEED:

> 1 NOTES PER SECOND (NOTE PROCESSING TIME 1 S)

UV LAMPS



MT9 / MT9F

- MT9 AND MT9F IS A HIGH QUALITY CONVENTIONAL UV DETECTOR, WHICH USES ULTRAVIOLET LIGHT TO DETECT VARIOUS FLUORESCENCE SECURITY FEATURES IN BANKNOTES AND OTHER DOCUMENTS.
- MT9 AND MT9F ARE EQUIPPED WITH AN ENERGY EFFICIENT 9 WATT UVA TUBE AND COMES IN TWO VERSIONS; (MT9F) WITH FOOT AND (MT9) WITHOUT FOOT.
- WHEN A BANKNOTE OR A SECURITY DOCUMENT IS PLACED UNDER THE UV LIGHT, THE HIDDEN DOCUMENT UV SECURITY FEATURES WILL LIGHT UP IN VISIBLE BRIGHT COLORS, VERY EASY TO SEE FOR THE HUMAN EYE.
- MT9 AND MT9F ARE MADE FROM HIGH QUALITY MATERIALS. THE MT9F FOOTPRINT IS SMALL, WHICH MAKES IT VERY EASY TO PLACE IN ANY MODERN SHOP OR OFFICE ENVIRONMENT.

PLEASE NOTE:

- DETECTION ACCURACY USING UV LAMPS DEPENDS ON THE SUBJECTIVE DECISION OF THE CASHIER.
- MT9 / MT9F IS IDEAL FOR USE AT: SMALL AND LARGE RETAIL SHOPS, GASOLINE STATIONS, HOTELS, CASINOS, RESTAURANTS, BARS, KIOSKS, PASSPORT AND TICKET CONTROL, ETC.

UV LAMPS



MT21 / MT22

- MT21/MT22 IS A HIGH QUALITY CONVENTIONAL UV DETECTOR, WHICH USES ULTRAVIOLET LIGHT TO DETECT VARIOUS FLUORESCENCE DOCUMENT AND BANKNOTE SECURITY FEATURES.
- MT21/MT22 IS ALSO EQUIPPED WITH A WHITE LIGHT SOURCE TO DETECT WATERMARKS AND SECURITY THREADS ETC.
- MT21/MT22 IS A SIMPLE AND COST EFFECTIVE DEVICE FOR DETERMINING THE AUTHENTICITY OF BANKNOTES AND OTHER DOCUMENTS.
- MT21 IS EQUIPPED WITH ONE 6 WATT UVA TUBE AND ONE 6 WATT WHITE LIGHT TUBE.
- MT22 IS EQUIPPED WITH TWO 6 WATT UVA TUBES AND ONE 6 WATT WHITE LIGHT TUBE.

PLEASE NOTE:

- DETECTION ACCURACY USING UV LAMPS DEPENDS ON THE SUBJECTIVE DECISION OF THE CASHIER.
- IT IS IDEAL FOR USE AT: SMALL AND LARGE RETAIL SHOPS, GASOLINE STATIONS, HOTELS, RESTAURANTS, BARS, CASINOS, PASSPORT AND TICKET CONTROL, ETC.

COIN SORTER/COUNTER



GLORY MACH 9E

FEATURES

THE MACH 9E IS A HIGH SPEED, HEAVY DUTY COIN SORTER APPLICABLE TO HIGH VOLUME PROCESSING CENTRES WHERE THROUGHPUT AND RELIABILITY IS PARAMOUNT. MACH 9E IS THE PERFECT SOLUTION FOR FINANCIAL PROCESSING CENTRES, VENDING AND TRANSPORTATION COMPANIES AND GAMING HOUSES. HIGHLY CONFIGURABLE, MACH 9E CAN TRACK AND CONSOLIDATE MANAGEMENT INFORMATION FOR REPORT GENERATION OR TRANSFER COUNT DATA TO A RECONCILIATION SYSTEM.

COIN SIZE RANGE DIAMETER: 15.0 TO 32.5MM
THICKNESS: 1.0 TO 3.0MM

SORTING DIFFERENTIAL: 0.5MM (MINIMUM)
INSPECTION PAN EXTENDED PAN: - UP TO 10,000 COINS DEPENDING UPON COIN MIX

INCLUDED INTERFACES AND CONTROLS: PRINTER, NOTE COUNTER, PC, AND REMOTE DISPLAY. ID NUMBERS UP TO 199, FEE ASSESSMENT, MANUAL ENTRY OF MEDIA OR NOTE VALUES.

PROCESSING SPEED UP TO 6000 COINS PER MINUTE

OPTIONS :

- TOKEN, NON-ROUND COIN, ETC. SUBJECT TO REVIEW
- THERMAL PRINTER
- REMOTE DISPLAY
- TAMPER EVIDENT SECURITY DOORS
- INSPECTION PAN MAGNET FOR DEBRIS REMOVAL WITH NON-MAGNETIC COIN SETS*
- DUAL BAGGING UP TO FOUR DENOMINATIONS DEPENDING ON COIN SET

COIN SORTER/COUNTER



MULTICASH MC 10-14

FLEXIBLE SORTING, NO COIN-JAMS

- BLOCKAGE-FREE SORTING WITH ACTIVE SORTING TECHNOLOGY
- PER DENOMINATION MORE THAN ONE DRAWER POSSIBLE
- CONTROL-COUNTING MODE WITHOUT SORTING
- SORTING OF DENOMINATIONS WITH SAME DIAMETER AND OF COMMEMORATIVE COINS POSSIBLE
- DISPLAY OF MAIN- AND SECOND-CURRENCY AND DISPLAY OF TOTAL SUM IN CASE OF DUAL MODE (OPTIONAL)
- SORTING OF 9 DENOMINATIONS IN CASE OF ONE CURRENCY, OF 8 DENOMINATIONS IN CASE OF TWO CURRENCIES
- VIBRATION-MODE ENSURES TROUBLE-FREE COIN TRANSPORT

EASY AND CLEAR OPERATION

- ILLUMINATED, ALPHANUMERIC 4-LINE DIALOGUE-DISPLAY
- CLEARLY STRUCTURED KEYBOARD WITH DIRECT SELECTION KEYS
- UP TO NINE INDEPENDENT CASHIER-MEMORIES + ONE TOTAL MEMORY
- TWO PRESELECTABLE BATCH LEVELS FOR USE OF TWO DIFFERENT COIN-BIN TYPES - CONFIGURABLE FOR WEIGHT OR NUMBER OF PIECES
- DATA BACKUP AFTER POWER FAILURE
- VIBRATION-MODE ENSURES TROUBLE-FREE COIN TRANSPORT

MODULAR COIN-DETECTION SYSTEM IN ITS 4TH GENERATION

- MAGNETIC SENSOR FOR COIN ALLOY
- CAPACITIVE SENSOR OF COIN-MASS
- MATRIX-SENSOR OF COIN-PROFILE
- CCD DIAMETER SENSOR WITH 256PX RESOLUTION (OPTIONAL)

COIN SORTER/COUNTER



CT COIN PELICAN 309

GENERAL FEATURES :

CTCOIN PELICAN 309 COIN SORTING MACHINES THAT COUNTS AND SORTS 8 DENOMINATIONS OF EURO COINS. DETECTS FALSE AND FOREIGN CURRENCY THROUGH AN ALLOY SENSOR OF LAST GENERATION, SENDING THEM TO THE REJECTION DRAWER. DESIGNED FOR USERS WHO NEED TO SORT THE 8 DENOMINATIONS OF EURO COINS. IT'S A HEAVY DUTY MACHINE THAT ALLOWS TO COUNT LARGE VOLUMES OF COINS. RELIABLE AND DURABLE ITS THE PERFECT TOOL FOR COMPANIES THAT NEED TO COUNT AND SORT ON A DAILY BASIS.

TECHNICAL FEATURES :

- COUNTING SPEED APPROXIMATELY 1100 UNSORTED COINS PER MINUTE
- SORTS 9 TYPES OF EURO COINS
- CHECKING AUTHENTICITY / FOREIGN CURRENCIES
- REGISTRATION OF TOTAL AMOUNT PER COUNT.
- GIVES TOTAL OF COUNTED COINS.
- GIVES SPECIFICATION PER COUNTED COIN TYPE.
- COUNTS CAN BE DIVIDED INTO SUB COUNTS
- CONNECTING TUBES / COIN BAGS
- DAY TOTAL, INCLUDING TOTAL OF ALL ID NUMBERS, REMAINDER OF TOTAL NUMBER.
- VARIABLE MATCHING UNITS OF CASSETTE / BAG FILLING.
- OPTIONAL: PRINTER, ADDITIONAL DISPLAY

COIN SORTER/COUNTER



CT COIN PELICAN 301

- EASY TO OPERATE, SERVICE AND MAINTAIN
- REJECTION OF FOREIGN AND COUNTERFEIT COINS
- TUBING AND BAGGING KIT OPTION
- AUTOMATIC BAG/DRAW STOPS
- ACCEPTS UP TO 20 DIFFERENT DENOMINATIONS;
- SPEED OF 1,100 CPM
- CASHIER AND ID NUMBER
- ACCEPTANCE OF A SINGLE DENOMINATION AND REJECTION
- MULTITUDE OF VARIOUS COUNTERS AND COUNTING REPORTS
- MEMORY FUNCTIONS AND ERROR CODES FOR EASY PROBLEM SOLVING
- MULTIBAGGING I.E. COLLECT THE SAME COIN DENOMINATION IN UP TO 3 DIFFERENT BAGS
- ACTIVE SORTING OF UP TO 2 DENOMINATIONS (TRACKSENSORTM)
- OPTIONAL COMMUNICATION MODULE (XML TRANSACTION, EVENT AND VERIFICATION DATA VIA USB/LAN) • CASHIER NUMBER, COMPREHENSIVE FEE SYSTEM, DUAL LANGUAGE CAPABILITIES
- OPTIONALLY INTERNAL/EXTERNAL HIGH QUALITY PRINTER WITH AUTO CUTTER, LOGO, BARCODE AND HEADER/FOOTER CAPABILITY
- SPECIAL COLOURS AND STAND AVAILABLE

COIN SORTER/COUNTER



BELLCON CS300

FEATURES:

- AFFORDABLE, ACCURATE AND QUICK EURO COIN COUNTER AND SORTER.
- ROBUST METAL-STRUCTURE DESIGN OF THE COUNTING MECHANISM WHICH ENSURES LONG-LIFE, RELIABLE OPERATION.
- COUNTS AND SORTS ALL EURO COIN DENOMINATIONS INTO 8 SEPARATE COIN CONTAINERS.
- BATCH STOP PRESET VALUES CAN BE SET FOR EACH DENOMINATION.
- EFFICIENT AND TOLERANT COIN FEEDING. VERY PLEASANT NOISE LEVEL.
- AUTOMATIC STOP FUNCTION.
- BELLCON DESIGN WITH CLEAR AND BRIGHT 3,0" LCD DISPLAY WITH BACKLIGHT.
- LOGICAL AND CLEAR MENU-BASED OPERATION.
- SUITABLE FOR RETAIL BUSINESSES WITH SMALL TO MEDIUM SIZED DAILY COIN FLOW.
- REPORT FUNCTION FOR DETAILED COUNTING RESULT INCLUDING TOTAL AMOUNT/PIECES AND VALUE COUNTED OF EACH DENOMINATION.
- EXTERNAL PRINTER CAN BE CONNECTED (OPTIONAL). RECEIPT CONTAINS COUNTING RESULT, TIME AND DATE INFORMATION.

COUNTING SPEED: APPROXIMATELY 500 COINS PER MINUTE (MIXED DENOMINATIONS)

HOPPER CAPACITY: 1.000 COINS (MIXED DENOMINATIONS)

COIN BOX CAPACITY: 100 - 400 COINS (DEPENDING ON DENOMINATION)



GLORY WR-90

COIN WRAPPER

THE WR-90 PROVIDE FAST AND ACCURATE COIN COUNTING, BAGGING AND WRAPPING. COIN WRAPPERS HAVE BECOME ESSENTIAL EQUIPMENT FOR CIT/ARMoured CARRIER COMPANIES, MINTS AND OTHER INDUSTRIES THAT HAVE A REQUIREMENT TO HANDLE LARGE VOLUMES OF COIN. THE GLORY WR SERIES HAS MET THIS NEED, WITH ENHANCED SPEED AND PERFORMANCE. THE WR-90 COUNT AND WRAP COINS MORE SMOOTHLY AND EFFICIENTLY THAN CONVENTIONAL WRAPPERS.

HI-PERFORMANCE COIN DETECTOR

THE GLORY WR-SERIES DO NOT ONLY COUNT AND WRAP. THEY ALSO DETECT FORGED COINS AND FOREIGN MATERIAL FOR HIGHER LEVEL OF SECURITY.

REJECTED COIN BOX

THE GLORY WR-SERIES ARE ALSO EQUIPPED WITH A REJECTED COIN BOX. WHEN A MACHINE DETECTS A COIN WITH NON-DESIGNATED DENOMINATIONS OR FOREIGN MATERIAL, IT WILL AUTOMATICALLY THROW THE COIN INTO REJECT BOX, ENSURING A HI-SPEED AND ACCURACY DURING THE COUNTING AND WRAPPING.

HOPPER CAPACITY - APPROX. 9000 COINS

COUNTING SPEED - 2000 COINS/MIN

WRAPPING SPEED - 25 ROLLS/MIN

STRAPPING MACHINE

FEATURES

- LESS MOVING PARTS AND SIMPLE SEALING HEAD DESIGN ASSURE EASE OF MAINTENANCE AND LOWER COST OF OPERATION.
- 2 DC MOTORS ASSURE LOW ENERGY CONSUMPTION THAN ANY OTHER STRAPPING MACHINE.
- 24V LOW RUNNING POWER TO GUARANTEE THE SAFETY AND MACHINE RUNNING QUIETLY.
- TENSION ADJUST BY THE CONTROL PANEL, EASY AND ACCURATE
- BELT -LESS
- SECOND FEED FUNCTION, NO STUCKING
- FEEDING LENGTH CAN BE ADJUST ON THE CONTROL PANEL



TD88AL

SPECIFICATION:

- | | |
|---------------------|---------------------------------------|
| • DIMENSION (W*D*H) | : 91.5CM*59CM*60CM |
| • WEIGHT | : 480MM |
| • STRAPPING SPEED | : 2SEC/STRAP |
| • STRAP PROPERTIES | : PP WIDTH 5-15MM THICKNESS 0.6-0.9MM |
| • TENSION RANGE | : 5-60KG |
| • POWER | : 0.35KW |
| • PP TAPE CORE | : 200MM |

STRAPPING MACHINE



TD88A

FEATURES

- LESS MOVING PARTS AND SIMPLE SEALING HEAD DESIGN ASSURE EASE OF MAINTENANCE AND LOWER COST OF OPERATION.
- 2 DC MOTORS ASSURE LOW ENERGY CONSUMPTION THAN ANY OTHER STRAPPING MACHINE.
- 24V LOW RUNNING POWER TO GUARANTEE THE SAFETY AND MACHINE RUNNING QUIETLY.
- TENSION ADJUST BY THE CONTROL PANEL, EASY AND ACCURATE
- BELT -LESS
- SECOND FEED FUNCTION, NO STUCKING
- FEEDING LENGTH CAN BE ADJUST ON THE CONTROL PANEL

SPECIFICATION:

- | | |
|---------------------|---------------------------------------|
| • DIMENSION (W*D*H) | : 91.5CM*59CM*83CM |
| • WEIGHT | : 730MM |
| • STRAPPING SPEED | : 2SEC/STRAP |
| • STRAP PROPERTIES | : PP WIDTH 5-15MM THICKNESS 0.6-0.9MM |
| • TENSION RANGE | : 5-60KG |
| • POWER | : 0.35KW |
| • PP TAPE CORE | : 200MM |

STRAPPING MACHINE



TD88

FEATURES

- LESS MOVING PARTS AND SIMPLE SEALING HEAD DESIGN ASSURE EASE OF MAINTENANCE AND LOWER COST OF OPERATION.
- 2 DC MOTORS ASSURE LOW ENERGY CONSUMPTION THAN ANY OTHER STRAPPING MACHINE.
- 24V LOW RUNNING POWER TO GUARANTEE THE SAFETY AND MACHINE RUNNING QUIETLY.
- TENSION ADJUST BY THE CONTROL PANEL, EASY AND ACCURATE
- BELT -LESS
- SECOND FEED FUNCTION, NO STUCKING
- FEEDING LENGTH CAN BE ADJUST ON THE CONTROL PANEL

SPECIFICATION:

- | | |
|---------------------|---------------------------------------|
| • DIMENSION (W*D*H) | : 91.5CM*59CM*82CM |
| • WEIGHT | : 730MM |
| • STRAPPING SPEED | : 25EC/STRAP |
| • STRAP PROPERTIES | : PP WIDTH 5-15MM THICKNESS 0.6-0.9MM |
| • TENSION RANGE | : 5-60KG |
| • POWER | : 0.35KW |
| • PP TAPE CORE | : 200MM |

SAFE DEPOSIT BOX



BTC 8000 GLORY

- THE BTC 8000 IS THE LARGEST AND FASTEST SMART SAFE DEVICE ON THE MARKET.
- THE DEVICE IS EQUIPPED WITH A GLORY DE50 READER WHICH IS ONE OF THE MOST RELIABLE AND HIGH QUALITY AVAILABLE ON THE MARKET.
- THE GLORY DE50 READER COUNTS AND AUTHENTICATES BANKNOTES AT A RATE OF 720 PIECES PER MINUTE.
- THE DEVICE IS EQUIPPED WITH A TEMPORARY / ESCROW, WHICH ALLOWS USERS TO CANCEL COUNTING.

• SAFETY STANDARD:

- IN ACCORDANCE WITH LEVEL I, CERTIFIED ACCORDING TO STANDARD EN 1143-1

• POSSIBILITY TO EQUIP THE DEVICE WITH A READER:

- GLORY DE50
- MINT ADDITION - PELICANO + MSS MULTICASH
- MULTI-CURRENCY READERS - YES

• COUNTING SPEED:

- 720 PIECES / MIN

• TEMPORARY COMPARTMENT:

- YES, 100 PIECES.
- THE USER CAN CANCEL THE TRANSACTION.

• CAPACITY:

- 8000 + PIECES OF BANKNOTES, BAG SYSTEM

• SAFE DEPOSIT BOX:

- ELECTRONIC LOCK + PIN CODE TOKEN GENERATED BY THE CONTROL CENTER - SWITCHING

• COMPUTER AND SCREEN:

- LCD TOUCH DISPLAY - 15" - AIO PC, HIGH RESOLUTION

• SAFE USER IDENTIFICATION:

- CHOICE: CARD, RFID, USER NAME, USER ID + PIN (ONLINE OR OFFLINE) - CUSTOMIZABLE (ONLINE OR OFFLINE)

• POSSIBILITY OF COIN PROCESSING:

- YES, WITH PELICANO + MULTICASH ACCESSORIES

• DIGITAL SECURITY:

- SSL | 2WAY SSL

• EXTERNAL DIMENSIONS:

- TOTAL: 1000 X 450 X 480 (H X W X D IN CM)

BANKNOTE DEPOSIT SOLUTION



GDB-100

A SCALABLE BANKNOTE DEPOSIT AUTOMATION DEVICE WITH ADVANCED AUTHENTICATION AND SORTING FEATURES. GDB-100 FACILITATES LARGE QUANTITIES OF BANKNOTES TO BE DEPOSITED BY BUSINESS AND PERSONAL CUSTOMERS. DEPOSITS ARE PROCESSED QUICKLY AND EFFICIENTLY, ELIMINATING LONG QUEUES IN THE BRANCH, REDUCING CASH PROCESSING COSTS AND ALSO ENABLING CASH INVENTORY TO BE REUSED ELSEWHERE IN THE BRANCH.

- **CAPACITY**
 - MAX. 2,500 NOTES PER CASSETTE
- **CASSETTES**
 - HIGH VOLUME
 - 5 CASSETTES
 - COMPACT VERSION
 - 3 CASSETTES
- **SAFE TYPES**
 - FULL FOOTPRINT SAFE
 - DROP BOX FOR ENVELOPES AND OTHER VALUES
 - SMALL FOOTPRINT SAFE
 - ADA COMPLIANT
 - AVAILABLE SAFES: UL AND CEN III
- **OTHER OPTIONAL FEATURES**
 - SHUTTER
 - ISM ESCROW
 - INTELLIGENT STORAGE MODULE
 - REAR ACCESS
 - BANKNOTE SERIAL NUMBER RECOGNITION

BANKNOTE DEPOSIT SOLUTION FOR RETAIL



CI-30B

A SCALABLE BANKNOTE DEPOSIT AUTOMATION DEVICE WITH ADVANCED AUTHENTICATION AND SORTING FEATURES. CI-30B FACILITATES LARGE QUANTITIES OF BANKNOTES TO BE DEPOSITED BY RETAILERS, INTO A SECURE DEVICE, WITHIN THEIR BACK-OFFICE ENVIRONMENT. IT CAN ALSO STORE PRE-SORTED NOTES, THUS MAKING POST-PROCESSING EASIER. DEPOSITS ARE PROCESSED QUICKLY AND EFFICIENTLY, ELIMINATING MANUAL CASH HANDLING PROCEDURES, REDUCING CASH PROCESSING COSTS AND ENABLING CASH INVENTORY TO BE REUSED ELSEWHERE IN THE STORE. CI-30B PROVIDES A RANGE OF FLEXIBLE STORAGE OPTIONS, WITH THE CHOICE OF CASSETTE-BASED STORAGE OR STACKING SAFE BAGS, ALLOWING IT TO MEET VARYING CUSTOMER NEEDS; SUCH AS MIXED BANKNOTE STORAGE OR BY NOTE CLASSIFICATION (FIT, UNFIT, DENOMINATION).

- **STORAGE SYSTEM**

- CASSETTE X 3
- STACKING SAFE BAG X 2

- **CASSETTES**

- 2,500* NOTES PER CASSETTE, TOTAL CAPACITY: 7,500 NOTES
- 2,500 NOTES APPLIES TO 0.11MM PER NOTE OR UNDER. CAPACITY DEPENDENT ON CONDITION OF NOTES

- **STACKING SAFE BAG**

- 3,500* NOTES PER BAG, TOTAL CAPACITY: 7,000 NOTES
- 3,500 NOTES APPLIES TO 0.11MM PER NOTE OR UNDER. CAPACITY DEPENDENT ON CONDITION OF NOTES

- **SAFE TYPES**

- UL-291 24 HOURS - CEN III

COINDEPO



COINDEPO CDS 400

- YOUR CUSTOMERS HOLD MORE COINS THAN EVER BEFORE, IN JARS, DRAWERS AND PIGGY BANKS. WITH CTCOIN'S COINDEPO - CDS400, YOU CAN OFFER YOUR CUSTOMERS A NEEDED EXCHANGE SERVICE, WHILE AT THE SAME TIME TAKING ADVANTAGE OF A UNIQUE BUSINESS OPPORTUNITY AND BENEFITING FROM THE AMOUNT OF DEPOSITS IN YOUR SHOP.
- IN ADDITION TO INCREASED REVENUES, YOU CAN SAVE ON CASH-IN-TRANSIT AND COIN COSTS, BECAUSE THE COINS IN YOUR COINDEPO - CDS 400 CAN THEN BE INCORPORATED INTO YOUR CASH FLOW.
- THE COINDEPO - CDS 400 SERIES IS SPECIFICALLY DESIGNED FOR THE NEEDS AND DEMANDS OF RETAIL BUSINESSES. THE SMALL FOOTPRINT ALLOWS FOR A VISIBLE AND CENTRAL LOCATION IN ANY SHOP LAYOUT, WHICH PROMOTES CUSTOMER USAGE AND THUS ENCOURAGES MORE COIN DEPOSITS.

BENEFITS

- AESTHETIC, USER-FRIENDLY AND VANDAL-PROOF DESIGN.
- REJECTION OF FOREIGN AND COUNTERFEIT COINS.
- OPTIONAL FEE FOR CASH CHANGE.
- GUARANTEED SPENDING OF DEPOSITED AMOUNT WITHIN THE STORE.
- INCORPORATION OF COINS INTO THE BUSINESS - THUS SAVING COSTS ON COINAGE.
- LOW-COST AND SHORT PAYBACK PERIOD.
- COMPACT DESIGN, MAKING IT EASY TO PLACE AT THE POINT OF GREATEST CUSTOMER FLOW.

CASH DRAWER



CD415

MAIN FEATURES:

- COST-EFFECTIVE
- PRINTER-DRIVEN ONLY
- SUPPORTS ALL MAJOR BRANDS OF POINT OF SALE PRINTERS
- HIGH SECURITY DESIGN WITH ALL METAL CONSTRUCTION
- THREE POSITION LOCK FOR MAXIMUM CASH SECURITY
- ADJUSTABLE COIN COMPARTMENTS
- MEDIA SLOTS
- RUBBER FEET TO PREVENT SLIDING
- AVAILABLE IN BLACK

SECURITY SEALS



LGM 414 PULL-UP SEAL

- MADE OF POLYPROPYLENE (PP) BODY
- STAINLESS STEEL INSERT FOR ENHANCED SECURITY WITH ULTRASONIC WELDED ASSEMBLY
- COMPANY LOGO AND 8 DIGITS CONSECUTIVE NUMBERING ON THE FLAG
- LASER, HOT STAMP AND DIGITAL THERMO PRINTING OPTIONS
- BARCODE OPTION FOR MOBILE APPLICATIONS (CODE128, INT 2/5, ETC.)
- OPTIONAL 2 LENGTHS : LGM 414-S: 320 MM AND LGM 414-L: 420 MM
- PULL-APART STRENGTH : 15 KGF
- WORKING TEMPERATURE : -40C / +80C

SECURITY SEALS



LGM 415 PULL-UP SEAL

- MADE OF POLYPROPYLENE (PP) BODY
- STAINLESS STEEL INSERT FOR ENHANCED SECURITY WITH ULTRASONIC WELDED ASSEMBLY
- LABEL-HOLDER TO CARRY CARDBOARD OR PLASTIC LABELS IS STANDART ON ITEM CODE LGM 415
- TEAR-OFF OPTION FOR EASY HAND REMOVAL AVAILABLE ON ITEM CODES LGM 415-T
- LGM 415 IS ALWAYS WITH PRONGS TO PROVIDE BETTER STRAPPING GRIP FOR MAIL BAGS
- LGM 415-T WITH TEAR-OFF IS ALWAYS WITHOUT PRONGS
- COMPANY LOGO AND 8 DIGITS CONSECUTIVE NUMBERING ON THE FLAG
- LASER, HOT STAMP OR DIGITAL THERMAL PRINTING OPTIONS
- BARCODE OPTION FOR MOBILE APPLICATIONS (CODE128, INT 2/5 , ETC.)
- PULL-APART STRENGTH : 40 KGF
- WORKING TEMPERATURE : -40C / +80C

SECURITY SEALS



LGM 540 PULL-UP SEAL

- MADE OF POLYPROPYLENE (PP) OR POLYAMIDE (PA) BODY
- ACETAL (POM) INSERT FIXED WITH HEAT STAKING TECHNIC
- OPTIONAL POLYAMIDE (PA) PRODUCTION FOR IMPROVED TENSILE STRENGTH , ITEM CODE : LGM 540-N
- COMPANY LOGO AND 8 DIGITS CONSECUTIVE NUMBERING ON THE FLAG
- LASER OR INKJET PRINTING OPTIONS
- LIMITED BARCODE OPTION FOR MOBILE APPLICATIONS (INT 2/5 OR CODE 128)
- TEAR-OFF FEATURE FOR EASY HAND REMOVAL AS STANDART
- PULL-APART STRENGTH :10 KGF (PP) , 15 KGF (PA)
- WORKING TEMPERATURE : -20C / +80C FOR PP , -40C / +80C FOR PA

SECURITY SEALS



- MADE OF POLYAMIDE (PA) BODY AS STANDART PRODUCTION
- OPTIONAL WITHOUT RECTANGLE PRINT AREA, ARTICLE CODE LGM 571N
- OPTIONAL WITH PP MATERIAL FOR APPLICATIONS WHERE LOWER STRENGTH NEEDED (I.E. EMERGENCY EXIT DOORS) , ITEM CODES LGM 570 AND LGM 571
- STAINLESS STEEL INSERT FOR ENHANCED SECURITY, FIXED WITH HEAT STAKING TECHNIC
- COMPANY LOGO AND 6 DIGITS CONSECUTIVE NUMBERING ON THE FLAG
- LASER PRINTING AS ONLY MARKING OPTION
- PULL-APART STRENGTH : 12 KGF FOR LGM 570N (PA) , 8 KGF FOR PP MATERIAL LGM 570 (PP)
- WORKING TEMPERATURE : -40C / +80C FOR PA, -20C / +80C FOR PP MATERIAL

LGM 570 PULL-UP SEAL

SECURITY LABELS



SECURITY LABELS ARE A SELF-ADHESIVE SECURITY LABELS WITH TAMPER EVIDENT INDICATOR, BARCODE AND SEQUENTIAL NUMBERING.



OUR TAMPER EVIDENT INDICATOR IS A "VOID EFFECT" WITH THE SECURITY MESSAGE "VOID OPENED".

SECURITY TAPE



THIS TAMPER EVIDENT PACKAGING TAPE OFFERS A POSITIVE CONTROL ON UNAUTHORIZED INTERFERENCE WITH ANY PACKAGE CONTENT. IT WILL OPERATE IN MOST CONDITIONS ON MOST CLEAN DRY SURFACES.

ATTEMPTS TO REMOVE OR LIFT THE TAPE WILL RESULT IN THE VOID/ OPENED MESSAGE BEING CLEARLY DISPLAYED, AND ITS "DRY PEEL" REACTION MEANS IT CANNOT BE STUCK BACK DOWN ONCE DISTURBED.



**SECURITY TAPE
VOID/OPENED**

APPLICATIONS :

- MACHINE PANELS
- DUTY FREE PACKAGES
- SHRINK WRAP & PALLETS
- FREIGHT CONTAINERS
- FIBER/WAXED CARTONS
- CARDBOARD CARTONS
- WOODEN BOXES/CRATES
- POLYSTRENE


- TYPE: FULL TRANSFER, CONTINUOUS ROLL
- COLOUR: BLUE
- TAPE WIDTH: 2 INCH (50 MM)
- ROLL LENGTH: 164 FT (50 M)
- SURFACE PRINTING: SECURITY
- CUSTOMIZATION AND OTHER TAPE COLORS AVAILABLE
- APPROVED USA TSA APPROVED FOR CCSP
- PRODUCED UNDER ISO9000.2013
- BLUE TOP SURFACE MATERIAL PRINTED SECURITY WITH A "VOID OPENED"

SECURITY TAPE



THIS TAMPER EVIDENT PACKAGING TAPE OFFERS A POSITIVE CONTROL ON UNAUTHORIZED INTERFERENCE WITH ANY PACKAGE CONTENT. IT WILL OPERATE IN MOST CONDITIONS ON MOST CLEAN DRY SURFACES.

ATTEMPTS TO REMOVE OR LIFT THE TAPE WILL RESULT IN THE VOID/ OPENED MESSAGE BEING CLEARLY DISPLAYED, AND ITS "DRY PEEL" REACTION MEANS IT CANNOT BE STUCK BACK DOWN ONCE DISTURBED.



**SECURITY TAPE
VOID/OPENED**

APPLICATIONS :

- MACHINE PANELS
- DUTY FREE PACKAGES
- SHRINK WRAP & PALLETS
- FREIGHT CONTAINERS
- FIBER/WAXED CARTONS
- CARDBOARD CARTONS
- WOODEN BOXES/CRATES
- POLYSTRENE

- TYPE: FULL TRANSFER, CONTINUOUS ROLL
- COLOUR: BLUE
- TAPE WIDTH: 2 INCH (50 MM)
- ROLL LENGTH: 164 FT (50 M)
- SURFACE PRINTING: SECURITY
- CUSTOMIZATION AND OTHER TAPE COLORS AVAILABLE
- APPROVED USA TSA APPROVED FOR CCSP
- PRODUCED UNDER ISO9000.2013
- BLUE TOP SURFACE MATERIAL PRINTED SECURITY WITH A "VOID OPENED"

INVERTER

 PowerWalker




INVERTER 3000 PWM

POWERWALKER INVERTER 3000-5000 PWM SERIES IS A MULTI-FUNCTION INVERTER/CHARGER, COMBINING FUNCTIONS OF INVERTER, SOLAR CHARGER AND BATTERY CHARGER TO OFFER UNINTERRUPTIBLE POWER SUPPORT WITH PORTABLE SIZE. ITS COMPREHENSIVE LCD DISPLAY OFFERS USER-CONFIGURABLE AND EASY-ACCESSIBLE BUTTON OPERATION SUCH AS BATTERY CHARGING CURRENT, AC/SOLAR CHARGER PRIORITY, AND ACCEPTABLE INPUT VOLTAGE BASED ON DIFFERENT APPLICATIONS.

- PURE SINE WAVE OUTPUT
- OUTPUT POWER FACTOR 1.0
- CONFIGURABLE BATTERY CHARGING CURRENT
- IT SUPPORTS AC GENERATORS
- SMART BATTERY CHARGER TO EXTEND BATTERY LIFE
- OFFERS A SELECTABLE INPUT VOLTAGE RANGE
- INVERTER/CHARGER
- CONFIGURABLE AC/ PV CHARGER PRIORITY

- **POWERCAPACITY** : 3000VA/3000W
- **SOLAR CHARGER TYPE** : PWM
- **INPUT VOLTAGE RANGE** : 170-280VAC (NARROW RANGE)
- **FREQUENCY** : 50HZ OR 60HZ
- **INPUT TYPE** : TERMINAL
- **NORMAL OUTPUT VOLTAGE** : 230VAC
- **VOLTAGE REGULATION** : +/- 5%
- **OUTLETS** : TERMINAL
- **BATTERIES** : ONLY WORKS WITH EXTERNAL BATTERIES
- **DC VOLTAGE** : 2 X 12V
- **TRANSFER TIME (AC TO BATTERY)** : 10MS NR

UPS VI 800MS / 1000MS

 Power Walker



UPS VI 800MS / 1000MS

THE POWERWALKER VI MS IS A LINE-INTERACTIVE UPS SERIES WITH MULTIPLE SOCKETS, 8 SOCKETS THAT ARE SURGE PROTECTED, AND 4 OF THESE SOCKETS HAVE BATTERY BACKUP FOR CRITICAL LOADS. THE INTEGRATED AVR FUNCTION ENSURES CLEAN AND STABLE OUTPUT DURING POWER OUTAGES OR VOLTAGE FLUCTUATIONS. THE UPS FUNCTIONS CAN BE MONITORED AND CONTROLLED VIA USB COMMUNICATION, EITHER WITH OR WITHOUT SOFTWARE OR WITHOUT IT (HID). THE MULTI-SOCKET DESIGN MAKES THE VI MS SERIES SPECIALLY SUITABLE FOR HOME AND OFFICE APPLICATIONS. THE UPS CAN BE USED ON TOP OF A DESK, OR IT CAN BE MOUNTED ON A WALL. APPLICATIONS INCLUDE HOME-OFFICE, WORKSTATIONS, NAS, ETC.

- HUMAN INTERFACE DEVICE (HID) SUPPORTED •
- MULTI-SOCKET DESIGN (8 OUTLETS)
- AUTOMATIC VOLTAGE REGULATOR (AVR)
- USB CHARGING PORT (2.1A)
- EASY USER-REPLACEABLE BATTERY DESIGN

IT EQUIPMENTS
DISTRIBUTOR/AUTHORIZED



PRODUCTS

BANKNOTE COUNTER

- **GLORY:**
 - GLORY UW-4F
 - GLORY GFS-220

- **BELLCON:**
 - BELLCOUNT S515
 - BELLCOUNT V2510

- **LIDIX:**
 - LIDIX SL-250F
 - LIDIX ML-2V

DETECTORS UV LAMPS

- **BELLCON:**
 - EVISION 5
 - MT9/MT9F
 - MT21/MT22
- **DP:**
 - DP2268

COIN SORTER COUNTER

- **GLORY:**
 - MACH 9
- **MULTICASH:**
 - MC 10-14
- **BELLCON:**
 - CS300
- **CT COIN:**
 - PELICAN 309
 - PELICAN 301

OTHER MACHINES

- **GLORY:**
 - COIN WRAPPER
WR-90
 - SAFE DEPOSIT BOX
BTC 8000
 - BANKNOTE DEPOSIT
SOLUTION
GDB-100
 - BANKNOTE DEPOSIT
SOLUTION FOR RETAIL
CL-30B
- **SUNPACK:**
 - TD88AT
 - TD88A
 - TD88
- **CT COIN:**
 - COIN DEPO
 - CDS 400

OTHER PRODUCTS

- CASH DRAWER
- SECURITY SEALS
- SECURITY LABELS
- SECURITY TAPES
- PACKING ENVELOPES
- ECOMMERCE BAGS
- PACKING TAPES
- INVERTER
- UPS

IT EQUIPMENTS DISTRIBUTOR/AUTHORIZED

- LENOVO
- DELL
- HP
- MICROSOFT
- CISCO
- GRANDSTREAM
- UBIQUITI
- FORTINET
- WATCHGUARD
- DIVIOTEC
- DISKO
- EVOLIS
- FOOTBALLCAM
- VEEAM
- JUNIPER

PANAMIC ICT IS AUTHORIZED COMPANY FOR SUPPLYING, SERVICE/MAINTENANCE OF IT EQUIPMENT'S, FROM BRAND NAMES:

- HP,
- LENOVO,
- IBM,
- DELL POWEREDGE SERVERS,
- CISCO,
- JUNIPER,
- FORTINET ETC.

SUPPLYING/MAINTENANCE WITH SOLUTIONS FOR MANAGING AND AUTOMATION OF CASH PROCESSING FROM TOP BRAND NAMES:

- GLORY,
- LIDIX,
- BELLCON,
- CT COIN,
- SOUTH AUTOMATION,
- DORS,
- SBM,
- SEMTOM.

RESPONSIBILITIES:

- ASSISTING WITH SYSTEM UPGRADES, MIGRATIONS, AND DEPLOYMENTS TO ENSURE SMOOTH TRANSITIONS AND OPTIMAL PERFORMANCE.
- EXECUTING SYSTEM BACKUPS AND PROFICIENTLY PERFORMING DATA RECOVERY OPERATIONS TO SAFEGUARD VALUABLE INFORMATION.
- IMPLEMENTING STRINGENT NETWORK SECURITY MEASURES, INCLUDING FIREWALLS AND ANTIVIRUS SOFTWARE, TO PROTECT AGAINST CYBER THREATS.
- CONDUCTING REGULAR UPDATES ON COMPUTER SYSTEMS AND NETWORKS TO KEEP THEM UP-TO-DATE AND SECURE.
- PROVIDING COMPREHENSIVE TECHNICAL SUPPORT TO END-USERS, WHETHER IT BE THROUGH IN-PERSON ASSISTANCE, OVER-THE-PHONE GUIDANCE, OR REMOTE SUPPORT.
- COLLABORATING CLOSELY WITH OTHER IT PROFESSIONALS AND VENDORS TO TACKLE INTRICATE TECHNICAL ISSUES AND DELIVER EFFECTIVE RESOLUTIONS.

SERVICES:

AT **PANAMIC ICT**, WE OFFER SOFTWARE AS A SERVICE (SAAS) SOLUTIONS SUCH AS GOOGLE WORKSPACE AND OFFICE365, DELIVERING IMMENSE VALUE AND FUNCTIONALITY TO OUR CLIENTS. OUR SERVICES ENCOMPASS:

- SYSTEM CONFIGURATION AND DEPLOYMENT
- USER AND GROUP MANAGEMENT
- SECURITY AND COMPLIANCE
- TROUBLESHOOTING AND SUPPORT
- SYSTEM MONITORING AND OPTIMIZATION

FURTHERMORE, WE POSSESS EXTENSIVE EXPERIENCE IN WORKING WITH MDM TOOLS LIKE ATERA, MIRADORE, SENTINEL ONE, AND INTUNE, ALLOWING US TO PROFICIENTLY MANAGE AND SECURE YOUR MOBILE DEVICES.

AT **PANAMIC ICT**, WE ARE COMMITTED TO DELIVERING TOP-NOTCH IT SOLUTIONS AND SUPPORT, LEVERAGING OUR EXPERTISE AND CUTTING-EDGE TECHNOLOGIES TO MEET YOUR BUSINESS OBJECTIVES.

SERVER & STORAGE



NAS STORAGE



SERVER



PRINTER & IMAGING



PRINTER



THERMAL PRINTER



PROJECTOR



POWER SUPPLY



BATTERY



INVERTER




RACK UPS



UPS

PASSIVE NETWORKING



COMPUTERS



BARCODE SCANNER



COMPUTER



LAPTOP



MILBOOK TABLET



MONITOR



PC ALL-IN-ONE



TABLET



TYSSO POS



COMPONENTS

Apacer SAMSUNG TOSHIBA Verbatim®  Western Digital®

EXTERNAL HDD



EXTERNAL SSD



FLASH USB



HDD



MEMORY CARD



MEMORY RAM



SSD 2.5INCH



SSD M.2



ACTIVE NETWORKING



ACCES POINT



EXTENDER



FIREWALL



IP PHONE



SWITCH



WI FI



PEOPLE COUNTER



ROUTER



ACCESSORIES



BACKPACK



DOCKING STATION



HEADSET



KEYBOARD



MOUSE